


Great Magtech Electric Co., Ltd.

1302B, A-02 Building, Software Park III, Jimei District, Xiamen, China (361022)

TEL: 86-592-6682467 FAX: 86-592-6682467

Precast Concrete Magnet



Bernice Tao | Sales Engineer

Mob / Whatsapp: 0086-13285975053

E-mail: sales06@greatmagtech.com | Skype: live:sales06_829

Great Magtech (Xiamen) Electric Co., Ltd.




Great Magtech Electric Co., Ltd.

1302B, A-02 Building, Software Park III, Jimei District, Xiamen, China (361022)

TEL: 86-592-6682467 FAX: 86-592-6682467

Precast concrete Magnet



Bernice Tao | Sales Engineer

Mob / Whatsapp: 0086-13285975053

E-mail: sales06@greatmagtech.com | Skype: live:sales06_829

Great Magtech (Xiamen) Electric Co., Ltd.



Great Magtech Electric Co., Ltd.

1302B, A-02 Building, Software Park III, Jimei District, Xiamen, China (361022)

TEL: 86-592-6682467 FAX: 86-592-6682467

Product specifications information

Item	Size(cm)	N.W.(kg)	Surface Material	Pull Force $\geq$ (Kg)
GME-450	17x6x4	2	Iron	≥ 450
GME-600	17x6x4	2	Iron	≥ 600
GME-800	19x10x4	2.6	Stainless Steel	≥ 800
GME-900	28x6x4	2.7	Iron Stainless Steel	≥ 900
GME-900S	20x9x4	2.7	Stainless Steel	≥ 900
GME-1000	19x10x4	3	Stainless Steel	≥ 1000
GME-1350	32x9x6	6.3	Iron	≥ 1350
GME-1800	32x12x6	7.2	Iron	≥ 1800
GME-2100	32x12x6	7.8	Iron	≥ 2100

Bernice Tao | Sales Engineer

Mob / Whatsapp: 0086-13285975053

E-mail: sales06@greatmagtech.com | Skype: live:sales06_829

Great Magtech (Xiamen) Electric Co., Ltd.



Great Magtech Electric Co., Ltd.

1302B, A-02 Building, Software Park III, Jimei District, Xiamen, China (361022)

TEL: 86-592-6682467 FAX: 86-592-6682467

Products Display



Bernice Tao | Sales Engineer

Mob / Whatsapp: 0086-13285975053

E-mail: sales06@greatmagtech.com | Skype: live:sales06_829

Great Magtech (Xiamen) Electric Co., Ltd.




Great Magtech Electric Co., Ltd.

1302B, A-02 Building, Software Park III, Jimei District, Xiamen, China (361022)

TEL: 86-592-6682467 FAX: 86-592-6682467

Applications



Bernice Tao | Sales Engineer

Mob / Whatsapp: 0086-13285975053

E-mail: sales06@greatmagtech.com | Skype: live:sales06_829



Great Magtech (Xiamen) Electric Co., Ltd.



Great Magtech Electric Co., Ltd.

1302B, A-02 Building, Software Park III, Jimei District, Xiamen, China (361022)

TEL: 86-592-6682467 FAX: 86-592-6682467



Bernice Tao | Sales Engineer

Mob / Whatsapp: 0086-13285975053

E-mail: sales06@greatmagtech.com | Skype: live:sales06_829

Great Magtech (Xiamen) Electric Co., Ltd.



Great Magtech Electric Co., Ltd.

1302B, A-02 Building, Software Park III, Jimei District, Xiamen, China (361022)

TEL: 86-592-6682467 FAX: 86-592-6682467

Packing of Precast Concrete Magnet



Bernice Tao | Sales Engineer

Mob / Whatsapp: 0086-13285975053

E-mail: sales06@greatmagtech.com | Skype: live:sales06_829

Great Magtech (Xiamen) Electric Co., Ltd.



Great Magtech Electric Co., Ltd.

1302B, A-02 Building, Software Park III, Jimei District, Xiamen, China (361022)

TEL: 86-592-6682467 FAX: 86-592-6682467

Embedded Magnet

Item	Image	Size	Pull force ≥ (kg)	Screw Size
GME-15		D40x6mm	15	M20 / M24
GME-35		D40x10mm	35	Polish Rod: 18.1mm / 19.3mm
GME-50		D55x10mm	50	M10 / M14 / M16
GME-55			55	M20 / M24
GME-160		D70x12mm	160	

Screw	Screw (mm)
	M10
	M12
	M14
	M16
	M18
	M20
	M24

Bernice Tao | Sales Engineer

Mob / Whatsapp: 0086-13285975053

E-mail: sales06@greatmagtech.com | Skype: live:sales06_829

Great Magtech (Xiamen) Electric Co., Ltd.



Great Magtech Electric Co., Ltd.

1302B, A-02 Building, Software Park III, Jimei District, Xiamen, China (361022)

TEL: 86-592-6682467 FAX: 86-592-6682467

Application of Embedded Magnet



Bernice Tao | Sales Engineer

Mob / Whatsapp: 0086-13285975053

E-mail: sales06@greatmagtech.com | Skype: live:sales06_829

Great Magtech (Xiamen) Electric Co., Ltd.



Great Magtech Electric Co., Ltd.



1302B, A-02 Building, Software Park III, Jimei District, Xiamen, China (361022)

TEL: 86-592-6682467 FAX: 86-592-6682467

Electric Box Insert Magnets



Magnetic Chamfer



Concrete Magnet Lever



Bernice Tao | Sales Engineer

Mob / Whatsapp: 0086-13285975053

E-mail: sales06@greatmagtech.com | Skype: live:sales06_829

Great Magtech (Xiamen) Electric Co., Ltd.



Great Magtech Electric Co., Ltd.

1302B, A-02 Building, Software Park III, Jimei District, Xiamen, China (361022)

TEL: 86-592-6682467 FAX: 86-592-6682467

Customized Products

Shuttering System



Formwork Accessories Adapter



Bernice Tao | Sales Engineer

Mob / Whatsapp: 0086-13285975053

E-mail: sales06@greatmagtech.com | Skype: live:sales06_829

Great Magtech (Xiamen) Electric Co., Ltd.



Great Magtech Electric Co., Ltd.

1302B, A-02 Building, Software Park III, Jimei District, Xiamen, China (361022)

TEL: 86-592-6682467 FAX: 86-592-6682467

The characteristics and advantages of the Precast Concrete Magnet of GME

- 1) Reduce labor costs, save hours, and increase labor efficiency; most magnets are produced in China, and magnetic cartridges are inexpensive.
- 2) Manufacturing process from Germany, simple design, excellent quality.
- 3) Flexible and lightweight, safe and easy operation, easy to maintain when the system is open.
- 4) Magnetic force of 450-2100 kg.
- 5) Core contains anti-concrete harmful substances polyurethane.
- 6) Easy to clean, the use of polishing machine to clean the surface of the concrete can be.
- 7) Strong magnetic system will be fixed on the template table, not easy to fall. At the same time, the spring element helps to release the magnet during demanding.
- 8) The spring pulls the template to the mold table and prevents concrete from penetrating the template.

Bernice Tao | Sales Engineer

Mob / Whatsapp: 0086-13285975053

E-mail: sales06@greatmagtech.com | Skype: live:sales06_829

Great Magtech (Xiamen) Electric Co., Ltd.

